



ARCONIC



# HuckGuard<sup>®</sup> For High Corrosion Protection

Unique Zinc and  
Topcoat Treatment

Helps Maintain Joint Integrity  
and Long Life

Applied In-House at  
Arconic Fastening Systems



HUCK<sup>®</sup>

# HuckGuard®

## For the Corrosion-Resistant Joint

For a high level of corrosion protection in an engineered fastener, insist on fasteners with HuckGuard® from Arconic Fastening Systems (AFS).

Developed specifically to protect swaged collars and Huck 360® nuts, HuckGuard provides a strong, added layer of corrosion resistance. HuckGuard for bolts is a zinc-rich basecoat, plus an organic topcoat, that helps protect the integrity and life of the joint. In fact, collars and nuts treated with HuckGuard can sustain up to 500 hours of salt spray testing.

### Two Collars. 500 Hours of Salt Spray. One Clear Choice.

After three weeks of ASTM B117 salt spray exposure, two collars were compared side-by-side.



#### The Challenge

To establish a minimum of 500 hours salt spray resistance to red rust corrosion on a swaged collar, without increasing the required swage load.

#### The Choice is Clear

HuckGuard protects swaged collars and Huck 360 nuts from harsh environments, such as those found in a number of industries including oil and gas, rail, trucking and many others.


## Why HuckGuard?

HuckBolts are installed with a direct tension swaging process. This is what gives HuckBolts their superior clamp and tensile strength, and, unlike conventional nuts and bolts, it's what makes them vibration resistant. The installation process creates significant tension on the fastener collars, which can compromise the collar's finish and ultimate corrosion-resistant properties. However, fasteners treated with HuckGuard offer the added layer of protection needed to guard against the forces of this direct tension/swaging process. HuckGuard adheres to the zinc basecoat, while providing a high degree of ductility.


In addition, HuckGuard contains an integral lube. When applied, it delivers the same torque tension characteristics as found on standard nuts and bolts. No need to use different tooling to install Huck 360 nuts. HuckGuard treated fasteners can be installed with the same tooling you're already using, and carry the same torque requirements.

# The HuckGuard® Process

Loading conveyors automatically stop when the dip-spin basket is filled with the correct weight of parts



Special baskets prevent collars from rolling and mixing



Finished parts are soft-handled into the collection container

## The Arconic Advantage

- **Speed of Delivery** Since AFS applies HuckGuard in-house, we don't build in extra time for shipping to a supplier.
- **Quality Control** AFS has invested in proprietary HuckGuard equipment and the process is optimized for Huck fasteners, to assure the highest level of quality control.
- **Value** With no shipping to third-party vendor and no middlemen, you avoid needless costs.



When a container is full of finished parts, the conveyor automatically switches to a new container




Cold storage prolongs the dip-spin solution life



Outside air is pulled in and then exhausted out, so air conditioned plant air is not required



Thermal oxidizers reduce air pollution



Recirculating keeps the dip-spin solution mixed, maintains the correct temperature, and filters out contaminants

## To Order:

Simply add the suffix **X** to your collar part number.

Eg. MBTC-R16BL

Standard Zinc Plate, Black Trivalent Chromate BobTail® Collar

**MBTC-R16BLX**

Standard Zinc Plate, Black Trivalent Chromate BobTail® Collar with One Coat of HuckGuard

**MBTC-R16BL2X**

Standard Zinc Plate, Black Trivalent Chromate BobTail® Collar with Two Coats of HuckGuard (minimum 1,000 hours corrosion protection)



ARCONIC



UK's largest distributor of HUCK fasteners

# Arconic Fastening Systems

Arconic Inc. (NYSE: ARNC) creates breakthrough products that shape industries. Working in close partnership with our customers, we solve complex engineering challenges to transform the way we fly, drive, build and power. Through the ingenuity of our people and cutting-edge advanced manufacturing, we deliver these products at a quality and efficiency that ensures customer success and shareholder value.



## North America

### Waco Operations

PO Box 8117  
8001 Imperial Drive  
Waco, TX 76714-8117  
Tel: +1 800-388-4825  
Fax: +1 800-798-4825  
afs.sales.waco@arconic.com

### Kingston Operations

1 Corporate Drive  
Kingston, NY 12401  
Tel: +1 800-278-4825  
Fax: +1 845-334-7333  
afs.sales.kingston@arconic.com

### Tracy Operations

1925 North MacArthur Drive  
Tracy, CA 95376  
Tel: +1 800-826-2884  
Fax: +1 800-573-2645  
afs.sales.idg@arconic.com

### Carmel Operations

14300 Clay Terrace Blvd Suite 250  
Carmel, IN 46032, USA  
Tel: +1 800-826-2884  
Fax: +1 800-573-2645  
afs.sales.idg@arconic.com

## Global

### Kolkata Operations

Unit No. 28, 2nd Floor,  
55/1, Chowringhee Road,  
Kolkata 700071, West Bengal, India  
Tel: +91-33-40699170  
Tel: +91-33-40699180  
Fax +91-33-40699184

### Melbourne Operations

1508 Centre Road  
Clayton, Victoria  
Australia 3168  
Tel: +613-8545-3333  
Fax: +613-8545-3390  
afs.sales@arconic.com

### São Paulo Operations

Rodovia Anhanguera, s/n, KM 17,  
Parque São Domingos - Complexo  
Anhanguera - Galpão 1 Seção III  
(Módulo III) Box 11  
CEP 05112-000 São Paulo - SP Brazil  
Tel: +55-11-3583-7061

### Suzhou Operations

58 Yinsheng Road,  
SIP Suzhou, Jiangsu  
215126 China  
Tel: +86-512-62863800-8888

### Telford Operations

Unit C, Stafford Park 7  
Telford, Shropshire  
England TF3 3BQ  
Tel: +44 (0) 1952-290011  
Fax: +44 (0) 1952-290459  
thisales@arconic.com

### Tokyo Operations (Japan and Korea)

1013 Hibiya U-1 Bldg  
Uchisaiwai-cho 1-1-7  
Chiyoda-ku, Tokyo  
100-0011 Japan  
Tel: +81-3-3539-6594  
Fax: +81-3-3539-6585

The information contained in this publication is only for general guidance, and is not intended to create any warranty, express, implied, or statutory; all warranties are contained only in AFS's written quotations, acknowledgments, and/or purchase orders. It is recommended that the user secure specific, up-to-date data and information regarding each application and/or use of such products.

[afshuck.net/us](http://afshuck.net/us)  
[YouTube.com/AFSIndustrial](http://YouTube.com/AFSIndustrial)



Email: [sales@starfasteners.co.uk](mailto:sales@starfasteners.co.uk) | Tel: +44(0)115 9324 939